


1. REPLACEMENT AC SURFACE LAYER SHALL BE OF THE TYPE AND THICKNESS BASED ON FUNCTIONAL CLASSIFICATION.
 - a) MIN. 2" (50 mm) HMAC TYPE "D" FOR TRENCH REPAIR IN LOCAL/RESIDENTIAL
 - b) STREETS
 - c) MIN. 3" (75 mm) HMAC TYPE "C" FOR TRENCH REPAIR IN COLLECTOR/ARTERIAL
 - d) STREETSSEE ITEM 340S, SECTION 340S.4.
2. BASE LAYER ALTERNATIVES:
 - a) 7" (175 mm) CLASS "J" PC CONCRETE (ITEM 403S). (A PC CONCRETE GREATER THAN A 2 SACK MIX WILL NOT BE ALLOWED.)
 - b) 10" (250 mm) CONTROLLED LOW STRENGTH MATERIAL (ITEM 402S); OR
 - c) FLEXIBLE BASE (ITEM 210S) THICKNESS TWICE THE EXISTING BASE THICKNESS BUT A MINIMUM OF 18" (450 mm)
3. CLASS 12 SACK MIX MAY BE SUBSTITUTED FOR CONTROLLED LOW STRENGTH MATERIAL, IF APPROVED BY THE ENGINEER OR DESIGNATED REPRESENTATIVE. PC CONCRETE GREATER THAN A 2 SACK MIX WILL NOT BE ALLOWED.
4. AS PER CITY OF AUSTIN STANDARD SPECIFICATION 510, SECTION 510.2(8)(K)5, FOR ALL NON-METALLIC PIPE, DIRECTLY ABOVE THE CENTERLINE OF THE PIPE AND A MINIMUM OF 12" (300 mm) BELOW THE SUBGRADE, OR A MINIMUM OF 18" (450 mm) BELOW FINISHED GRADE, SHALL BE PLACED IN ACCORDANCE WITH THE MANUFACTURER'S REQUIREMENTS. THE TAPE SHALL BE ENCASED IN A PROTECTIVE, INERT, PLASTIC JACKET AND COLOR CODED IN ACCORDANCE WITH APWA UNIFORM COLOR CODE.

CITY OF AUSTIN DEPARTMENT OF PUBLIC WORKS		TRANSVERSE EXCAVATIONS		CITY OF AUSTIN DEPARTMENT OF PUBLIC WORKS		TRANSVERSE EXCAVATIONS	
RECORD COPY SIGNED BY BILL GARDNER	9/14/05	THE ARCHITECT/ENGINEER ASSUMES RESPONSIBILITY FOR APPROPRIATE USE OF THIS STANDARD.	STANDARD NO. 1100S-6D 1 OF 2	RECORD COPY SIGNED BY BILL GARDNER	9/14/05	THE ARCHITECT/ENGINEER ASSUMES RESPONSIBILITY FOR APPROPRIATE USE OF THIS STANDARD.	STANDARD NO. 1100S-6D 2 OF 2
	ADOPTED				ADOPTED		

SITE PLAN RELEASE	
FILE NUMBER:	EXPIRATION DATE:
CASE MANAGER:	APPLICATION DATE:
REVIEWED BY:	
Watershed Protection and Development Review Dept.	
Date	SHEET No. 20 of

STATE OF TEXAS
 TRAVIS J. BOUSQUET
 86084
 COMMISSION EXPIRES
 MARCH 06, 2014

**PROPOSED CIRCLE K
CONVENIENCE STORE**
2615 WEST PECAN STREET
PFLUGER VILLE, TEXAS 78660

[illegible]

C-7.6