



FOR BID ONLY

EQUIPMENT LEGEND	
AC	AIR COMPRESSOR
CB	CLEARANCE BAR
CES	CODED ENTRY SYSTEM
CP	CHEMICAL PUMPING PANEL
CP0	CP0 CONTROLLER
CW	CHOICEWASH XT GANTRY
DR	DRYER CONTROL BOX
DT	DRYER TIMER
EC	ENERGY CHAIN FEED SYSTEM
EP	ELECTRICAL PANEL (BY OTHERS)
FD	FS-40D FREESTANDING DRYER
FHB	FLOOR HEAT BOILER SYSTEM
GD	GARAGE DOORS
GR	GUIDE RAILS
GRE	GUIDE RAIL EXTENSIONS
HS	HEAT SHIELD

JB	IN-BAY JUNCTION BOX
MD	MAIN DISCONNECT
MS	MERCHANDISING SIGN-OFF BOARD
PP	CHOICEWASH XT PUMPING PLANT
RH	RADIANT HEATER
RM	REFLECTIVE MARKERS
RO	R/O UNIT
RP	REPRESSURE-PUMP-FINAL RINSE
RU	RECLAIM UNIT
SF	SPOT FREE STORAGE TANK
TFP	TRI-FOAM PUMPING PLANT
TK	GANTRY TRACK 32"
TR	TREADLE SENSOR PAD
UC	UNDERCARRIAGE WASH MANIFOLD
UCP	U/C PHOTO EYE SENSORS
WBH	WASH BAY HOSE
WS	WATER SOFTENER

DRAWING NOTES

- 1) THE EQUIPMENT ROOM WALL THAT SUPPORTS ENERGY CHAIN, NEEDS TO BE STRUCTURALLY DESIGNED (BY OTHERS) TO SUPPORT AT LEAST 450 lbs.
- 2) INSTALLATION OF EQUIPMENT REQUIRES THE USE OF CONCRETE ANCHORS TO SECURE GANTRY TRACKS, GUIDE RAILS AND TREADLE PADS TO WASH BAY FLOOR AT A DEPTH OF 4", WITHOUT INTERFERING WITH STEEL REINFORCEMENTS (REBAR) AND/OR FLOOR HEAT TUBING.
- 3) REFER TO SPECIFIC DETAIL SHEETS FOR INSTALLATION GUIDELINES.
- 4) SLOPE CONCRETE TOWARDS DRAIN: 1/4" PER FOOT OR PER LOCAL CODE.

GENERAL NOTES

- THIS DRAWING IS THE PROPERTY OF MARK VII EQUIPMENT, INC.
- MARK VII EQUIPMENT, INC. IS NOT RESPONSIBLE FOR ERRORS OR OMISSIONS BASED ON LOCAL CODES OR CONDITIONS, THEREFORE DRAWINGS MUST BE REVIEWED AND APPROVED LOCALLY.
- CUSTOMER IS RESPONSIBLE FOR ALL PLUMBING, ELECTRICAL, CONCRETE, AND ALL APPLICABLE INSPECTIONS, FEES, AND PERMITS AS REQUIRED BY AUTHORITY HAVING JURISDICTION (AHJ).
- DRAWINGS MAY NOT REFLECT FINAL EQUIPMENT LIST. PLEASE CHECK FINAL ORDERS.

THE INFORMATION CONTAINED IN THIS DOCUMENT IS DESIGNED AND INTENDED FOR PRELIMINARY EDUCATION AND PLANNING PURPOSES ONLY. THESE DRAWINGS IN NO WAY REPRESENT FINAL ARCHITECTURAL OR STRUCTURAL DRAWINGS OR PLANS. MARK VII EQUIPMENT IS NOT RESPONSIBLE FOR THE ACTUAL RESULTS OF EFFORTS IMPLEMENTED DUE TO THE INFORMATION CONTAINED IN THIS DOCUMENT.

DRAWING HISTORY			
REVISION:	DESCRIPTION OF CHANGE:	DATE:	DRAWN BY:
01	INITIAL DRAWING RELEASE	8/1/14	JCH
REVISION:	DESCRIPTION OF CHANGE:	DATE:	DRAWN BY:
REVISION:	DESCRIPTION OF CHANGE:	DATE:	DRAWN BY:

PROPOSED DRAWINGS FOR:

CIRCLE K STORE, FOUNTAIN BLVD COLORADO SPRINGS, CHOICEWASH XT w/FS-40D DRYER

SHEET DESCRIPTION:

EQUIPMENT AND BAY LAYOUT

REVISION:

01

REF. DRAWING NUMBER:

BL-1408-01-01

DRAWN BY:

J HAGAN

DATE:

8/1/14

SCALE:

3/8"=1'-0

SHEET:

3 OF 11

SIZE:

D

Mark VII
A subsidiary of WashTec AG

MARK VII EQUIPMENT INC.
5981 TENNYSON STREET
ARVADA, CO 80003
www.markvii.net
tel: (303) 423-4910
(800) 525-8248
fax: (303) 430-0139